

W

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	10/768,793	DAYOUB, MICHAEL	
	Examiner	Art Unit	
	Lam P. Pham	2612	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 5/8/06.
2. ☒ The allowed claim(s) is/are 25,27-31 and 33-40.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)                      |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment   |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance             |
|   | 9. <input type="checkbox"/> Other _____  |

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Matthew Durell on July 17, 2006.

The application has been amended as follows:

In claim 25, insert after "comprising:" the following:

"a power cord being equipped with two or more prongs for connecting to a power outlet; and"

In claim 34, line 3: delete [one] and insert "two".

### ***Allowable Subject Matter***

2. Claims 25, 27-31, 33-40 allowed.

3. The following is an examiner's statement of reasons for allowance:

No prior art fairly teach or suggest a power strip (**claim 25**) comprising:

a power cord being equipped with two or more prongs for connecting to a power outlet; and

a single housing having a plurality of A/C power outlets disposed therein, the single housing enclosing a smoke detector and a smoke detection control switch.

No prior art fairly teach or suggest a power strip (**claim 34**) comprising:  
a power cord having first and second ends, the first end  
being equipped with two or more prongs for connecting to a power  
outlet; and

a single housing having a plurality of A/C power outlets  
disposed therein, the single housing enclosing a power source  
electrically coupled to the second end of the power cord, a  
smoke detector and a smoke detection control switch.

No prior art fairly teach or suggest a method (**claim 39**) for automatically  
terminating power flow to devices equipped to receive power via an A/C power outlet,  
the method comprising the steps of:

(a) coupling a power strip having a single housing with one  
or more A/C power outlets disposed therein and enclosing a smoke  
detector and a smoke detection control switch to an A/C power  
outlet;

(b) plugging electrically powered devices into the one or  
more A/C power outlets disposed within the single housing;

(e) detecting smoke by the smoke detector; and

(f) creating a trigger voltage that causes the smoke  
detection control switch to restrict power flow to the one or  
more A/C power outlets disposed within the single housing.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lam P. Pham whose telephone number is 571-272-2977. The examiner can normally be reached on 10AM-7PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel J. Wu can be reached on 571-272-2964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Lam Pham

  
DANIEL WU  
SUPERVISORY PATENT EXAMINER  
7/17/06